



PRODUCT CATALOGUE 2025


ABOUT US



SUMMARY

Kami adalah Produsen Control Komponen listrik di bidang produk electric industri. Kami berkomitmen untuk memproduksi produk yang berkualitas dan handal untuk keamanan dengan merek: HATTATECH.

HATTATECH adalah manufacturer dan supplier untuk produk electric low voltage, panel control, industrial component yang terjamin kualitasnya.



CONTENTS



RELAY

_____ 7



RELAY SOCKET

_____ 9



PLUG & SOCKET

_____ 12



PIN-TYPE BUSBAR

16



STEEL DIN RAIL

20



ALUMINIUM DIN RAIL

24



HOIST PUSH BUTTON

28



BUTTON BOX

31



SWITCH CONTACT

37



39

DIGITAL AMPETER & VOLTMETER



42

PUSH BUTTON & PILOT LAMP



58

TERMINAL BLOCK



RELAY

HATTA
TECH

PRODUCT CATALOGUE



RELAY



MY2-LT
220VAC
24VDC



MY4-LT
220VAC
24VDC



LY2-LT
220VAC
24VDC



LY4-LT
220VAC
24VDC



MK2P-LT
220VAC
24VDC



MK3P-LT
220VAC
24VDC



RELAY SOCKET

HATTA
TECH

PRODUCT CATALOGUE



RELAY SOCKET



PYF08A-1

NUMBER OF PIN: 8
FOR RELAY TYPE: MY2




PYF14A-1

NUMBER OF PIN: 14
FOR RELAY TYPE: LY4




PTF08A-1

NUMBER OF PIN: 8
FOR RELAY TYPE: LY2




PTF14A

NUMBER OF PIN: 14
FOR RELAY TYPE: LY4



PYF08B

NUMBER OF PIN: 8
FOR RELAY TYPE: MY2



PYF14B

NUMBER OF PIN: 14
FOR RELAY TYPE: MY4

PRODUCT CATALOGUE



RELAY SOCKET



PF083A

NUMBER OF PIN: 8
FOR RELAY TYPE: MK2P



PF113A

NUMBER OF PIN: 11
FOR RELAY TYPE: MK3P



INDUSTRIAL PLUG & SOCKET

HATTA
TECH

PRODUCT CATALOGUE



PLUG & SOCKET



AB-013

CURRENT: 16A
VOLTAGE: 220-250V
PROTECTION DEGREE:IP44



AB-014

CURRENT: 16A
VOLTAGE: 380-415V
PROTECTION DEGREE:IP44



AB-024

CURRENT: 32A
VOLTAGE: 380-415V
PROTECTION DEGREE:IP44



AB-015

CURRENT: 16A
VOLTAGE: 220-250V, 240-415V
PROTECTION DEGREE:IP44



AB-025

CURRENT: 32A
VOLTAGE: 220-250V, 240-415V
PROTECTION DEGREE:IP44



AB-113

CURRENT: 16A
VOLTAGE: 220-250V
PROTECTION DEGREE:IP44

PRODUCT CATALOGUE



PLUG & SOCKET



AB-123

CURRENT: 32A
VOLTAGE: 220-250V
PROTECTION DEGREE:IP44



AB-114

CURRENT: 16A
VOLTAGE: 380-415V
PROTECTION DEGREE:IP44



AB-124

CURRENT: 32A
VOLTAGE: 380-415V
PROTECTION DEGREE:IP44



AB-115

CURRENT: 16A
VOLTAGE: 220-380V, 240-415V
PROTECTION DEGREE:IP44



AB-125

CURRENT: 32A
VOLTAGE: 220-380V, 240-415V
PROTECTION DEGREE:IP44



AB-213

CURRENT: 16A
VOLTAGE: 220-250V
PROTECTION DEGREE:IP44

PRODUCT CATALOGUE



PLUG & SOCKET



AB-223

CURRENT: 32A
VOLTAGE: 220-250V
PROTECTION DEGREE:IP44



AB-214

CURRENT: 16A
VOLTAGE: 380-415V
PROTECTION DEGREE:IP44



AB-224

CURRENT: 32A
VOLTAGE: 380-415V
PROTECTION DEGREE:IP44



AB-215

CURRENT: 16A
VOLTAGE: 220-250V, 240-415V
PROTECTION DEGREE:IP44



AB-225

CURRENT: 32A
VOLTAGE: 220-380V, 240-415
PROTECTION DEGREE:IP44



AB-023

CURRENT: 32A
VOLTAGE: 220-250V
PROTECTION DEGREE:IP44





PIN-TYPE BUSBAR

**HATTA
TECH**

PRODUCT CATALOGUE




PIN-TYPE BUSBAR



PRODUCT CATALOGUE



PIN-TYPE BUSBAR




MODEL	THICKNESS (MM)	CROSS SECTION	CURRENT (A)	WIDTH (MM)
GK101-1	1.2	6	40	5
GK101-2	1.5	10	63	7
GK101-3	1.5	13	70	9
GK101-4	1.5	16	80	11

PRODUCT CATALOGUE



PIN-TYPE BUSBAR



MODEL	THICKNESS (MM)	CROSS SECTION	CURRENT (A)	WIDTH (MM)
GK103-1	1.2	6	40	5
GK103-2	1.5	10	63	7
GK103-3	1.5	13	70	9
GK103-4	1.5	16	80	11



STEEL DIN RAIL

**HATTA
TECH**

PRODUCT CATALOGUE




STEEL DIN RAIL

PRODUCT APPEARANCE




HGK-01

DIMENSION VIEW




PRODUCT APPEARANCE



HGK-02

DIMENSION VIEW




PRODUCT CATALOGUE




STEEL DIN RAIL

PRODUCT APPEARANCE

DIMENSION VIEW



GK150




PRODUCT APPEARANCE

DIMENSION VIEW



GK1500




PRODUCT CATALOGUE




STEEL DIN RAIL

PRODUCT APPEARANCE



GK7500

DIMENSION VIEW





ALUMINIUM DIN RAIL

HATTA
TECH

PRODUCT CATALOGUE




ALUMINIUM DIN RAIL

PRODUCT APPEARANCE

DIMENSION VIEW



GK170




PRODUCT APPEARANCE

DIMENSION VIEW



GK140



PRODUCT CATALOGUE




ALUMINIUM DIN RAIL

PRODUCT APPEARANCE

DIMENSION VIEW




GK120




PRODUCT APPEARANCE

DIMENSION VIEW



CP+1



PRODUCT CATALOGUE




ALUMINIUM DIN RAIL

PRODUCT APPEARANCE



GK8600 DIN RAIL

DIMENSION VIEW




PRODUCT APPEARANCE



GK6800A/B LMITATION IMPORTED LONG HOLE

DIMENSION VIEW





HOLIST PUSH BUTTON

HATTA
TECH

PRODUCT CATALOGUE



HOIST PUSH BUTTON

COB61

Current	Voltage
5 A	500 V
AC	
Current	Voltage
2 A	500 V


PRODUCT APPEARANCE



COB61A

Current	Voltage
5 A	250 V
AC	
Current	Voltage
2 A	500 V

PRODUCT APPEARANCE



PRODUCT CATALOGUE



HOIST PUSH BUTTON

COB64

Current	Voltage
5 A	500 V
AC	
Current	Voltage
2 A	500 V

PRODUCT APPEARANCE





BUTTON BOX

**HATTA
TECH**

PRODUCT CATALOGUE



BUTTON BOX

PRODUCT APPEARANCE




BX1-22

SPECIFICATION

Hole	1
Diameter	22 mm

PRODUCT APPEARANCE



BX2-22

SPECIFICATION

Hole	2
Diameter	22 mm

PRODUCT CATALOGUE



BUTTON BOX

PRODUCT APPEARANCE



BX3-22

SPECIFICATION

Hole	3
Diameter	22 mm

PRODUCT APPEARANCE



BX4-22

SPECIFICATION

Hole	4
Diameter	22 mm

PRODUCT CATALOGUE



BUTTON BOX

PRODUCT APPEARANCE



BX6-22

SPECIFICATION


Hole	6
Diameter	22 mm

PRODUCT CATALOGUE



BUTTON BOX

PRODUCT APPEARANCE



XDL-D1

SPECIFICATION

Hole	1
------	---

PRODUCT APPEARANCE



XDL-D2

SPECIFICATION

Hole	2
------	---

PRODUCT CATALOGUE



BUTTON BOX


PRODUCT APPEARANCE



XDL-D4

SPECIFICATION

Hole	4
------	---



SWITCH CONTACT


HATTA
TECH

PRODUCT CATALOGUE



SWITCH CONTACT

PRODUCT APPEARANCE




LA137-BE101

SPECIFICATIONS

Size	22mm
Max Current	1A
Max Voltage	250V
Function	1NO

PRODUCT APPEARANCE



LA137-BE102

SPECIFICATIONS

Size	22mm
Max Current	10A
Max Voltage	400V
Function	1NO



DIGITAL ARMETER & VOLTMETER

HATTA
TECH


PRODUCT CATALOGUE



DIGITAL ARMETER VOLTMETER

PRODUCT APPEARANCE

SPECIFICATION



96-UIF

Auxiliary power supply:	AC/DC 80V ~ 270V, AC 220V, AC380V, AC100V
Model No:	96-UIF
High accuracy measurement of single phase voltage, current, frequency or three-phase current and voltage	
Nixei tube or liquid crystal display, local data inquiry	
The voltage and current change ratio can be set by programming	
Support RS-485 communication and Modbus-RTU protocol	
Support switching value input, switching value output and analog transmitting output	

PRODUCT CATALOGUE



DIGITAL ARMETER VOLTMETER

PRODUCT APPEARANCE

SPECIFICATION



Model No:	AT194E-9SY
Voltage:	AC 220/380V
Power Supply:	AC/DC 220V
Output	RS485
Electric current:	AC/5A
Accuracy:	±0.5%
Wiring:	N3.4

AT194E-9SY



PUSH BUTTON & PILOT LAMP

HATTA
TECH

PRODUCT CATALOGUE



PUSH BUTTON

PRODUCT APPEARANCE



AD112-22DS

SPECIFICATIONS

Model:	AD112-22DS
Lamp Voltage:	DC.AC 24V DC.AC 220V
Color	Green, Red, Yellow

PRODUCT APPEARANCE



AD112-22SM

SPECIFICATIONS

Model:	AD112-22SM
Lamp Voltage:	DC.AC 24V DC.AC 220V
Color	Green, Red, Yellow

PRODUCT CATALOGUE



PUSH BUTTON

PRODUCT APPEARANCE




LA137-EA31

SPECIFICATIONS

Model & Color:	LA137-EA31 (Green) LA137-EA42 (Red) LA137-51 (Yellow)
Contact:	N/O
Description:	Even button Spring Return

PRODUCT APPEARANCE



LA137-ED21

SPECIFICATIONS

Model:	LA137-ED21
Contact:	N/O
Self Restoration:	2 position self-lock
Description:	Short handle stay put

PRODUCT CATALOGUE



PUSH BUTTON

PRODUCT APPEARANCE




LA137-ED41

SPECIFICATIONS

Model:	LA137-ED41
Contact:	N/O
Self Restoration:	2 position key 1 spring return to centre
Description:	Short handle stay put

PRODUCT APPEARANCE



LA137-ED53

SPECIFICATIONS

Model:	LA137-ED53
Contact:	N/O + N/O
Self Restoration:	3 position key 1 spring return to centre
Description:	Short handle stay put

PRODUCT CATALOGUE



PUSH BUTTON

PRODUCT APPEARANCE



LA137-ED33

SPECIFICATIONS

Model:	LA137-ED33
Contact:	N/O + N/O
Self Restoration:	3 position self-lock
Description:	Short handle stay put

PRODUCT APPEARANCE



LA137-EC42

SPECIFICATIONS

Model:	LA137-EC42
Contact:	N/C
Self Restoration	
Description:	Self-reset mushroom head
Color:	Red

PRODUCT CATALOGUE



PUSH BUTTON

PRODUCT APPEARANCE



LA137-EC31

SPECIFICATIONS

Model:	LA137-EC31
Contact:	N/O
Self Restoration	
Description:	Self-reset mushroom head
Color:	Green

PRODUCT APPEARANCE



LA137-ES542

SPECIFICATIONS


Model:	LA137-ES542
Contact:	N/C
Maintained	
Description:	Mushroom head turn to release
Color:	Red

PRODUCT CATALOGUE



PUSH BUTTON

PRODUCT APPEARANCE



LA137-BD21

SPECIFICATIONS

Model:	LA137-BD21
Contact:	N/O
2 position self-lock	
Description:	Short handle stay put

PRODUCT APPEARANCE



LA137-BD41

SPECIFICATIONS

Model:	LA137-BD41
Contact:	N/O
2 position key 1 spring return to center	
Description:	Short handle stay put

PRODUCT CATALOGUE



PUSH BUTTON

PRODUCT APPEARANCE



LA137-BD33

SPECIFICATIONS

Model:	LA137-BD21
Contact:	N/O+N/O
3 position self-lock	
Description:	Short handle stay put

PRODUCT APPEARANCE



LA137-BD53

SPECIFICATIONS


Model:	LA137-BD41
Contact:	N/O+N/C
3 position key 1 spring return to center	
Description:	Short handle stay put

PRODUCT CATALOGUE



PUSH BUTTON

PRODUCT APPEARANCE




LA137-BT42

SPECIFICATIONS

Model:	LA137-BT42
Contact:	N/C
Maintained	
Description:	Push-pull Mushroom head
Color:	Red

PRODUCT APPEARANCE



LA137-BW8365

SPECIFICATIONS


Model:	LA137-BW8365
Contact:	N/O+N/C
Lamp Voltage:	220V ~ 50/60Hz
Description:	1 pilot light with yellow lens 1 green light 1 projecting red pushbutton marked

PRODUCT CATALOGUE



PUSH BUTTON

PRODUCT APPEARANCE




LA137-H-11TD

SPECIFICATIONS

Model:	LA137-H-11TD
Lamp Voltage:	24V, 220V
Maintained	
Description:	Illuminated Pushbuttons
Color:	Green, Red, Yellow

PRODUCT APPEARANCE



LA137-H-11D

SPECIFICATIONS

Model:	LA137-H-11D
Lamp Voltage:	24V, 220V
Momentary	
Description:	Illuminated Pushbuttons
Color:	Green, Red, Yellow

PRODUCT CATALOGUE



PUSH BUTTON

PRODUCT APPEARANCE



LA137-EA131

SPECIFICATIONS

Model & Color:	LA137-EA131 (Green) LA137-EA142 (Red) LA137-EA151 (Yellow)
Contact:	N/O+N/O
3 position self-lock	
Description:	Short handle stay put

PRODUCT APPEARANCE



LA137-EW3361

SPECIFICATIONS

Model:	LA137-EW3361
Lamp Voltage:	130V, 220V, 380V 50/60 Hz
Description:	Push Button with light
Color:	Green

PRODUCT CATALOGUE



PUSH BUTTON

PRODUCT APPEARANCE



LA137-BW3462

SPECIFICATIONS

Model:	LA137-BW3462
Lamp Voltage:	220V 50/60 Hz
Description:	Push Button with light
Color:	Red

PRODUCT APPEARANCE



LA137-EW3561

SPECIFICATIONS

Model:	LA137-EW3561
Lamp Voltage:	220V 50.60Hz
Description:	Push Button with light
Color:	Yellow

PRODUCT CATALOGUE



PUSH BUTTON

PRODUCT APPEARANCE



LA137-EW8365

SPECIFICATIONS

Model:	LA137-EW8365
Lamp Voltage:	220V 50/60 Hz
Description:	1 pilot light with yellow lens 220V, 1 push green, 1 projecting red pushbutton marked
Color:	Green, Yellow, Red

PRODUCT APPEARANCE



LA137-BA31

SPECIFICATIONS

Model:	LA137-BA31
Self restoration	
Description:	Even button spring return
Color:	Green

PRODUCT CATALOGUE



PUSH BUTTON

PRODUCT APPEARANCE



LA137-BA42

SPECIFICATIONS

Model:	LA137-BA42
Self restoration	
Description:	Even button spring return
Color:	Red

PRODUCT APPEARANCE



LA137-BA51

SPECIFICATIONS

Model:	LA137-BA51
Self restoration	
Description:	Even button spring return
Color:	Yellow

HATTATECH

Model:	LA137-BW3361
Lamp Voltage:	220V, 50Hz
Description:	Direct bulb supplied
Color:	Green

Model:	LA137-BW3462
Lamp Voltage:	220V, 50Hz
Description:	Direct bulb supplied
Color:	Red

PRODUCT CATALOGUE



PUSH BUTTON

PRODUCT APPEARANCE



LA137-BW3561

SPECIFICATIONS

Model:	LA137-BW3561
Lamp Voltage:	220V, 50Hz
Description:	Direct bulb supplied
Color:	Yellow


PRODUCT APPEARANCE



LA137-EW3462

SPECIFICATIONS

Model:	LA137-EW3462
Lamp Voltage:	220V, 50Hz
Description:	Push button with light
Color:	Red



TERMINAL BLOCK


**HATTA
TECH**

PRODUCT CATALOGUE



TERMINAL BLOCK

PRODUCT APPEARANCE




TC603

SPECIFICATIONS

Model:	TC603
Current:	60A
Poles:	3

PRODUCT APPEARANCE



TC604

SPECIFICATIONS


Model:	TC604
Current:	60A
Poles:	4

PRODUCT CATALOGUE



TERMINAL BLOCK

PRODUCT APPEARANCE




TC1003

SPECIFICATIONS

Model:	TC1003
Current:	100A
Poles:	3

PRODUCT APPEARANCE



TC1004

SPECIFICATIONS

Model:	TC1004
Current:	100A
Poles:	4

PRODUCT CATALOGUE



TERMINAL BLOCK

PRODUCT APPEARANCE




TC1003

SPECIFICATIONS

Model:	TC1503
Current:	150A
Poles:	3

PRODUCT APPEARANCE



TC1004

SPECIFICATIONS


Model:	TC1504
Current:	150A
Poles:	4

PRODUCT CATALOGUE



TERMINAL BLOCK

PRODUCT APPEARANCE



TC2004

SPECIFICATIONS

Model:	TC2004
Current:	200A
Poles:	4